


# CITY OF KIRKLAND PUBLIC TREE REMOVAL PERMIT APPLICATION

Permit No. TRE13-06711

Before filling out this form please review the TREE REMOVAL INFORMATION GUIDE or contact the Public Works Department at 425.587.3800.

<b>Adjacent Property Owner /Contact Information (please write legibly)</b>		
Adjacent Property Owner: <u>CARILLON PROPERTIES</u>	Phone:	Email:
Address: <u>4000 CARILLON DRIVE</u>		
Mailing Address (if different) <u>GREENWAY LANDSCAPE SERVICES PO 77373, SHORELINE WA 98177</u>		
Contact Name: <u>JIM JACQUIST</u>	Phone: <u>425-445-3007</u>	Email: <u>JIM@GREENWAYLANDSCAPE.COM</u>
I certify (or declare) under penalty of perjury under the laws of the State of Washington that the information answered on this form is true and complete to the best of my knowledge. I understand that the City of Kirkland is relying on this information to make its decision. Trees removed illegally may result in the City pursuing monetary penalties and/or restoration under KMC Chapter 1.12.		
Adjacent Property Owner Signature 		Date
(Acknowledging and supporting request)		

<b>APPLICATION REQUIREMENTS</b>		
<input type="checkbox"/> A check made payable to the City of Kirkland for the application fee <input type="checkbox"/> Location, species and size of replacement trees must be shown on Site Plan. <input checked="" type="checkbox"/> <b>ARBORIST REPORT:</b> from an individual with relevant education and training in arboriculture or urban forestry, having two or more of the following credentials: <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> International Society of Arboriculture (ISA) Certified Arborist  <input checked="" type="checkbox"/> Tree Risk Assessor Certification (TRACE) as established by the Pacific Northwest Chapter of ISA  <input type="checkbox"/> American Society of Consulting Arborists (ASCA) registered Consulting Arborist  <input type="checkbox"/> Society of American Foresters (SAF) Certified Forester for Forest Management Plans </div>		
I certify (or declare) under penalty of perjury under the laws of the State of Washington that the information answered above is true and complete to the best of my knowledge. I understand that the City of Kirkland is relying on this information to make its decision. Trees removed illegally may result in the City pursuing monetary penalties and/or restoration under KMC Chapter 1.12.		
<u>By Hilber</u> 11/11/12 Arborist Signature & Date	<u>PN0494A</u> 6/30/15 Arborist Credential #1 ID & Exp Date	<u>625</u> 12/31/13 Arborist Credential #2 ID & Exp Date

Tree #	Trunk Size: diameter at 4.5' (dbh)	Common Name or Genus/species
1	24"	WILLOW

**Site Plan** (use this page or attach an aerial screen shot, survey, drawing, etc.)

**NOTE:** The site plan must identify the approximate location of all tree removals in the right-of-way and the location of replacement trees. This form will not be processed without a completed site plan.

SEE  
ATTACHED  
MAPS

☒ Approved

☐ Denied

Staff Initials: SBG


Date: 12/18/2013

Conditions/Comments: Replacement Trees Required: replace with two (2) trees, either conifer or deciduous. Native conifer trees shall be at least six (6) feet in height and deciduous trees shall be at least two (2) inches in caliper measured six (6) inches above existing grade at the time of planting.

# TREE RISK ASSESSMENT FORM

LOCATION: Carillon Pt. DATE: 11/11/12		ASSESSOR: Roy Hilder					CERTIFIED TREE RISK ASSESSOR # 625		
Tree #	Species	DBH/Hgt	Defects Details	Probability of failure 1-5 points 1-3 points	Size of part 1-3 points	Target rating 1-4 points	Overall Risk Rating 3-12 points	Treatment Recommendation	Action Completed Date & Initials
1	willow	24"/40'	Tree is 85% Dead	5	2	4	11	Removal	
<p>This tree has had past failure. There are vertical cracks in dead leads. It should be removed ASAP.</p>									






LAKE WASHINGTON

LAKEVIEW DRIVE

CANYON PT  
4000 CANYON DRIVE  
TREE REMOVAL  
#1 - DEAD WILLOW

WATER



NOT TO SCALE

NORTH

CARILLON PT

DEAD TREE REMOVAL & REPLACEMENT



## **Carillon Point Tree Removal Request**



Tree #1: Dying Willow tree. Multi trunked tree.  
Tree poses a hazard to pedestrians

Replant with (1) Western Red Cedar and (1) Oregon Ash Tree